



## LAUNCHER DEXRON VI / MERCON LV AUTOMATIC TRANSMISSION FLUID

LAUNCHER Dexron VI / Mercon LV is a premium quality, fully synthetic, automatic transmission fluid that is recommended for GM and Ford vehicles as well as hydraulic and power steering systems. It exceeds the requirements of the JASO-1A performance standard created by Japanese Automobile Manufacturers. This standard is recognized by Japanese OEMs in certifying ATF for use in their vehicles.



### APPLICATIONS

LAUNCHER Dexron VI/ Mercon LV is a high quality Automatic Transmission Fluid suitable for use in automatic transmissions with torque converters of passenger cars, as well as in wet clutches and power steering units.

### PERFORMANCE FEATURES AND BENEFITS

- Outstanding thermal and oxidation stability.
- Active cleaning agents.
- Low volatility.
- Precisely balanced additive component system.
- Meets Industry Standards.
- Increased Wear Protection.
- Low Viscosity.
- Piston Cleanliness.
- Low-temperature Performance.
- Oil Loss Prevention.
- Wear and Sludge Protection.
- Enhanced Fuel Economy.

### RECOMMENDATIONS / SPECIFICATIONS

GM and Ford Vehicles.

Not recommended for ATF applications use of Ford type F, Ford type G, Ford Mercon/C/V/SP, DCT Or CVT.

### TYPICAL TECHNICAL PROPERTIES

PRODUCT CODE	LMODEX6
Density at 15°C, g/ml, ASTM D4052	0.847
Kinematic Viscosity at 40°C, mm <sup>2</sup> /s, ASTM D445	30.2
Kinematic Viscosity at 100°C, mm <sup>2</sup> /s, ASTM D445	6.1
Viscosity Index, ASTM D2270	148
Flash Point (COC), °C, ASTM D92	220
Pour Point, °C, ASTM D97	-54
Brookfield viscosity at -40°C, mPa.s, ASTM D2983	11500

Note: These characteristics are typical of current production. While future production will conform to LAUNCHER'S specification, variations in these characteristics may occur.



Packing : 1L | 4L | 5L | 208L/Drum

Version : LL/TDS/DEX6/02-01-2023

Health and Safety: This lubricant, when used in accordance with our recommendations and for the application for which it is intended, does not constitute any special hazard. A safety data file conforming to the requirements of current EC legislation is available from your local trade consultant