

SECTION 1: IDENTIFICATION

Product trade name	LAUNCHER Dexron III / Mercon Transmission Fluid
Company Identification	LAUNCHER AUTOMOTIVE (13893031 Canada Inc.) 55 Village Centre Pl, Suite 200, Mississauga, ON L4Z 1V9, Canada
Phone	+1 (905)804-1137
Email	info@launcherautomotive.com

SECTION 2: Hazard Identification

GHS Classification	Not classified. Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 56.6% . Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 56.6% .
GHS label elements	
• Signal word	No signal word.
• Hazard statements	No known significant effects or critical hazards.
Precautionary statements	
• Prevention	Not applicable.
• Response	Not applicable.
• Storage	Not applicable.
• Disposal	Not applicable.

SECTION 3: COMPOSITION OF INGREDIENTS

Substance/mixture : Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Components	CAS number	Approximate Percentage Composition
Base oil - unspecified	Varies	50 - 100
Base oil - unspecified	Varies	20 - 50
Methacrylate copolymer	Proprietary	1- 5
Alkoxylated long chain alkyl amine	Proprietary	0.1 - 1

Composition comments: *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.
US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: FIRST-AID MEASURES

Eye Contact	Immediately flush eyes with large amounts of water and continue flushing until irritation subsides. If material is hot, treat for thermal burns and seek immediate medical attention.
Skin contact	No treatment is necessary under ordinary circumstances. Remove contaminated clothing. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention. If material is hot, submerge injured area in cold water. If victim is severely burned, remove to a hospital immediately.
Inhalation	This material has a low vapour pressure and is not expected to present an inhalation exposure at ambient conditions.
Ingestion	No treatment is necessary under ordinary circumstances. Do not induce vomiting. If victim Exhibits signs of lung aspiration such as coughing or choking, seek immediate medical assistance.
Notes to physician	In case of skin injection, prompt debridement of the wound may be necessary to minimize necrosis and tissue loss.

SECTION 5: FIREFIGHTING MEASURES

Fire classification	OSHA classification (29 CFR 1910.1200). Not classified by OSHA as flammable or combustible.	
Flash point	>220°C	
Flammable limits	Upper percent: N/A	Lower percent: N/A
Auto ignition temperature	No Data Available	
Extinguishing media	Use water fog, foam, dry chemical or carbon dioxide to extinguish flame.	

PROTECTION OF FIRE FIGHTERS

Instructions	This material will although it is not easily ignited. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contaminated breathing apparatus.
combustion Product	Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases including Carbon Combustion products monoxide, carbon dioxide and unidentified organic compounds will be evolved when this material undergoes combustion. Combustion may form oxides of: Calcium, Sulphur, Zinc, Boron, Molybdenum, and Nitrogen.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Keep out of low areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the MSDS.
Environmental precautions	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	<p>Stop the flow of material, if this is without risk.</p> <p>Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the MSDS.</p>

SECTION 7: HANDLING AND STORAGE

Precautions for safe Handling	Use good industrial hygiene practices in handling this material. Avoid contact with eyes, skin and clothing. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure.
Conditions for safe storage including any incompatibilities	Store in original tightly closed container. Keep away from heat, open flames or other sources of ignition. Store away from incompatible materials (see Section 10 of the MSDS). Keep out of reach of children.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit	This product does not contain any components with OSHA or ACGIH exposure limits.
Eye/face protection	Eye protection is not required under conditions of normal use. If material is handled such that it could be splashed into eyes, wear plastic face shield or splash-proof safety goggles.
Skin protection	No skin protection is required for single, short duration exposures. For prolonged or repeated exposures, use impervious clothing (boots, gloves, aprons, etc.) over parts of the body subject to exposure. If handling hot material, use insulated protective clothing (boots, gloves, aprons, etc.). Launder soiled clothes. Properly dispose of contaminated leather articles including shoes, which cannot be decontaminated.
Respiratory protection	Respiratory protection is not required under conditions of normal use. If vapour or mist is generated when the material is heated or handled, use an organic vapour respirator with a dust and mist filter. All respirators must be NIOSH certified. Do not use compressed oxygen in hydrocarbon atmospheres.
Personal hygiene	Consumption of food and beverage should be avoided in work areas where hydrocarbons are present. Always wash hands and face with soap and water before eating, drinking, or smoking.
Ventilation	If vapour or mist is generated when the material is heated or handled, adequate ventilation in Accordance with good engineering practice must be provided to maintain concentrations below the specified exposure or flammable limits.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Colour	Red
Physical state	Liquid
Viscosity @ -40°C	10040
Density @ 15.6 °C	0.846
Viscosity @ 100°C	7.4
Viscosity @ 40°C	36.3
Pour Point	-51
Viscosity Index	176

SECTION 10: STABILITY AND REACTIVITY INFORMATION

Chemical stability	This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Conditions to avoid	No Data Available.
Incompatible materials to avoid	May react with strong oxidizing agents, such as chlorates, nitrates.
Hazardous polymerisation	Hazardous polymerization will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Eye irritation	The eye irritation hazard is based on evaluation of data for similar materials or product components.
Skin irritation	The skin irritation hazard is based on evaluation of data for similar materials or product components.
Skin sensitization	No product toxicology data available.
Acute dermal toxicity	The acute dermal toxicity hazard is based on evaluation of data for similar materials or product components.
Acute oral toxicity	The acute oral toxicity hazard is based on evaluation of data for similar materials or product components.
Inhalation toxicity	The inhalation toxicity is based on evaluation of data for similar materials or product components.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity	The toxicity of this material to aquatic organisms has not been evaluated. Consequently; this material should be kept out of sewage and drainage systems and all bodies of water.
Environmental fate	This material is Inherently biodegradable.

SECTION 13: DISPOSAL INFORMATION

Disposal methods	The product should not be allowed to enter drains, water courses or the soil.
Waste from residues	Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14: TRANSPORT INFORMATION

International Regulations	
IATA-DGR	Not regulated as a dangerous good.
IMDG-Code	Not regulated as a dangerous good.
ADR/RID	Not regulated as a dangerous good.
National Regulations	
TDG	Not regulated as a dangerous good.

SECTION 15: OTHER INFORMATION

REFERENCES: Sources of information used in preparing this MSDS included one or more of the following: results from in house or supplier toxicology studies, CONCAWE Product Dossiers, publications from other trade associations, such as the EU Hydrocarbon Solvents, REACH Consortium, U.S. HPV Program Robust Summaries, the EU IUCLID Data Base, U.S. NTP publications, and other sources, as appropriate.

Issue date:	02-01-2023	
Version#:	1	
Effective date:	02-01-2023	
Prepared by:	LAUNCHER AUTOMOTIVE (13893031 Canada Inc.)	Phone: +1 (905)804-1137
Further Information:	Not Available	
Other Information:	For an updated MSDS, Please contact the supplier/manufacturer listed on the first page of the document.	

KEEP OUT OF REACH OF CHILDREN

REVISION STATEMENT

This revision corrects the product name .Other changes have been made throughout this Material Safety Data Sheet. Please read the entire documents.

DISCLAIMER OF WARRANTY

The above information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, LAUNCHER'S Products must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information, the results to be obtained from the use thereof, or that any such use do not infringe any patent. Since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.